Unit 2: Presentation 2


Assessing Exposure

Patty Glick
National Wildlife Federation

Exposure

Measure of how much of a change in climate or other environmental factor a species or system is likely to experience


- Exposure to Climate Change
 - Shifts in temperature, precipitation (i.e., "basic climate")
- Exposure to Associated Impacts
 - For example, sea-level rise;
 hydrologic changes; changing fire regimes; changes in CO₂
 concentrations; changes in storm frequency/intensity



Exposure to Climate Change

Global climate models

- General CirculationModels (GCMs)
- Atmosphere-Ocean
 General Circulation
 Models (AOGCMs)
- Downscaled climate models
 - Statistical approach
 - Dynamical approach
- Historical data
 - Observed trends



Global Climate Models 101

Global climate models generate projected changes in climatic variables (e.g., average temperatures, precipitation) based on one or more scenarios for emissions of greenhouse gases, particulates, other factors


Factors to consider


- Uncertainties in scenarios (depend on policy, economics, population, etc.)
- Some models more successful than others at reproducing observed climate and trends over past century
- Confidence in results often higher in nearer term, also higher for temperatures than precipitation

Is Downscaled Information Necessary?

Factors to consider

- Scale of area being managed
- Complexity of area being managed
- Downscaling methods
 - Dynamical
 - Statistical
- Benefits and limitations
 - Data often more relevant for management scale
 - Not necessarily more "accurate"





Which Scenarios to Use?

Factors to consider

- Length of your planning horizon
- Sensitivity of key species or processes (helps ID variables to consider)
- Level of confidence in projections
- Level of acceptable risk

Level of detail

- Specific numbers
- A range of numbers
- Directionality





Figure 4.3. Projected future global temperature change for the SRES emission scenarios (degrees Celsius). The range for each individual emission scenario indicates model uncertainty in simulating the response of the earth system to human emissions of greenhouse gases (IPCC 2007b).



Tools/Resources for Relevant Information

ClimateWizard

- www.climatewizard.org
- Developed by The Nature Conservancy, the University of Washington, and the University of Southern Mississippi
- Enables technical and non-technical users to assess historical and projected climate change information
- DOI Climate Science Centers (CSCs) and Landscape Conservation Cooperatives (LCCs)
 - CSCs will deliver basic climate impact science to LCCs
 - LCCs will link science with conservation delivery

Exposure to Associated Changes

Response Models


- Conceptual models
- Hydrological models
- Habitat response models
- Climate "envelope" models
- Ecological models

Historical data

- Observed trends
- Response to disturbances







Considerations for Response Models

Choice of models

- Depends on the species, habitats, ecosystems of concern (including scale)
- Depends on the types of questions being asked
- Depends on end-user's needs

Limitations of response models

- Overly-simplified (e.g., may ignore factors such as interactions between species; nonlinear, complex responses; other factors)
- Data availability varies
- Transferability across regions and scales

Example: Exposure to *Air and Water Temperatures*

Exposure analysis for assessing vulnerability of salmon to climate change (salmon are sensitive to water temperatures)




Figure 9. August mean surface air temperature (colored patches) and maximum stream temperature (dots) for 1970-1999 (left) and the 2040s (right, medium emissions scenario, (A1B)). The area of favorable thermal habitat for salmon declines by the 2040s in western Washington, and in eastern Washington many areas transition from stressful to fatal for salmon. Circles represent selected stream temperature monitoring stations used for modeling stream temperatures.

Example: Exposure to Sea-Level Rise

Craft Island

Exposure analysis for assessing vulnerability of coastal wetlands to sea-level rise (wetlands are sensitive to tides/elevation)

- Initial Condition
- 11.2-inch SLR
- 27.3-inch SLR
- Diked areas



Fir Island

Erickson Island

Break-out: Assessing Exposure